Tracking & Monitoring - Operational with Tk&Txts

Date	**JUL - AUG 2020**					
Incidents reported	**51**					
Open incidents	**51**					
Notification	**Created On**	**Created at**	**Created by**	**Task code text**	**Main WorkCtr**	**Coding code txt**
1015962337	2020/09/09	10:39:41	NJANTJIES3	Follow-up note	PTM041	Meter Replacement Project
1015950181	2020/09/09	10:29:38	NJANTJIES3	Follow-up note	PTM040	Meter Replacement Project
1016032207	2020/09/09	08:17:59	WFREDERICK2	Follow-up note	REVP320	Suspect Tampering
1016032207	2020/09/09	08:17:59	WFREDERICK2	Assigned to	REVP320	Suspect Tampering
1016093554	2020/09/09	08:15:05	WFREDERICK2	Assigned to	REVP320	Suspect Tampering
1015994112	2020/09/08	13:47:00	NALLIES	Feedback from	PTM041	Meter Replacement Project
1016009118	2020/09/01	07:13:50	VHENDRICKS	Assigned to	WSRCRM00	Meter: Stolen
1015925557	2020/09/01	07:11:42	VHENDRICKS	Assigned to	WRE080	Customer : Master Data Updates/Queries
1016092341	2020/08/29	17:27:56	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016105586	2020/08/29	11:21:23	MGERTZE	Maintenance Malfunction R	EDS620	No Power
1016102779	2020/08/29	09:34:05	SNGCWANGU	Feedback from	WRE070	Sewer: Blocked/Overflow
1016099587	2020/08/28	11:01:03	NMNYAZANA	Feedback from	WRE070	Sewer: Blocked/Overflow
1015925557	2020/08/28	07:12:45	VHENDRICKS	Assigned to	WRE080	Customer : Master Data Updates/Queries
1016075398	2020/08/27	15:21:09	NJANTJIES3	Follow-up note	PTM040	Meter Replacement Project
1016096307	2020/08/27	08:52:45	NHOSKINS2	Assigned to	WSRCRM00	Customer : Account Adjustment Queries
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016092341	2020/08/26	16:16:25	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016091703	2020/08/26	15:02:19	VNONKONTWAN		WRE080	Broken Leading
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow

1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016087510	2020/08/26	13:34:44	NMVINJELWA	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016093554	2020/08/25	13:34:01	CHANEKOM	Feedback from	REVP320	Suspect Tampering
1016066621	2020/08/25	11:15:24	NJANTJIES3	Follow-up note	PTM040	Meter Replacement Project
1016051609	2020/08/25	09:12:11	NJANTJIES3	Follow-up note	PTM041	Meter Replacement Project
1016051602	2020/08/25	09:11:21	NJANTJIES3	Follow-up note	PTM040	Meter Replacement Project
1016065249	2020/08/25	08:59:06	SDYAN	Follow-up note	WRE070	Sewer: Blocked/Overflow
1016080737	2020/08/24	07:51:46	VHENDRICKS	Assigned to	WRE080	Meter: Move/Lowering
1016082441	2020/08/21	18:25:47	RJACOBS5	Maintenance Malfunction R	ELECSERV	Street Lights - All Lights Out
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation

1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016080955	2020/08/21	09:26:14	YDUDUMASHE	Functional Team Feedback	WSRCWI30	AWS: Existing Installation
1016079074	2020/08/20	14:50:17	RJACOBS5	Maintenance Malfunction R	ELECSERV	Street Lights - Single Light Out
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016073971	2020/08/20	10:50:08	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016074730	2020/08/20	10:49:16	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow

1016070090	2020/08/18	12:35:48	JKENNEDY	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016067904	2020/08/18	09:42:20	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016052443	2020/08/13	11:50:32	TSCHORN2	Feedback from	WRE020F1	Meter: Missing Cover
1016052443	2020/08/12	14:26:33	TSCHORN2	Assigned to	WRE020F1	Meter: Missing Cover
1016047524	2020/08/11	10:37:50	QALEXANDER	Maintenance Malfunction R	ELECSERV	Street Lights - All Lights Out
1016033168	2020/08/08	13:13:48	PPINTO	Assigned to	WSRCTA20	Customer : Meter Reading/Consumption
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1016040521	2020/08/07	16:27:20	JKENNEDY	Assigned to	WRE060	Sewer: Blocked/Overflow
1015999565	2020/08/07	12:02:35	ADAVIDS14	Feedback from	REVP111	Meter Replacement Project
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow

1016039075	2020/08/07	10:27:34	NMVINJELWA	Assigned to	WRE050	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016035240	2020/08/06	10:29:33	JKENNEDY	Assigned to	WRE050RA	Sewer: Blocked/Overflow
1016032207	2020/08/05	10:36:33	EDUTOIT6	Feedback from	REVP320	Suspect Tampering
1016010581	2020/08/03	05:02:32	AHOFFMAN2	Maintenance Malfunction R	ELECSERV	Street Lights - Single Light Out
1015968291	2020/07/30	12:10:51	AMCHITHWA	Assigned to	REVP431	Suspect Tampering
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1016010944	2020/07/30	11:51:56	JFORTUIN21	Assigned to	WRE070	Sewer: Blocked/Overflow
1015996011	2020/07/30	11:38:23	AMCHITHWA	Assigned to	REVP431	Tampering
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen

1016009118	2020/07/30	11:19:24	CHECTOR	Assigned to	WSRCRM00	Meter: Stolen
1016010192	2020/07/29	07:58:18	BALLAH	Feedback from	WRE070	Sewer: Blocked/Overflow
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1016009516	2020/07/28	18:04:21	MPETERSEN11	Assigned to	WRE080FA	Leak at Water Meter / Stopcock
1015974902	2020/07/28	11:33:49	AMCHITHWA	Assigned to	REVP431	Tampering
1015963924	2020/07/26	21:16:20	LHORNE	Feedback from	WRE080	Leak In Road/ Pavement/ Underground
1015996515	2020/07/23	17:36:34	RVERMEULEN	First line response	ECCN4V01	No Power
1015996515	2020/07/23	17:36:34	RVERMEULEN	Feedback from	ECCN4V01	No Power
1015982216	2020/07/23	08:10:23	NALLIES	Feedback from	PTM041	Meter Replacement Project
1015966375	2020/07/22	08:46:51	AMARTIN3	Follow-Up 2	WRE080	Broken Leading
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015927807	2020/07/21	09:08:21	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption

1015928350	2020/07/21	09:07:18	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015928797	2020/07/21	09:06:24	CHECTOR	Assigned to	WRW2OM-E	Customer : Rebate Requests
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015925557	2020/07/21	09:04:35	CHECTOR	Assigned to	WRE080	Customer : Master Data Updates/Queries
1015974902	2020/07/17	08:53:36	CHANEKOM	Feedback from	REVP431	Tampering
1015964609	2020/07/14	19:44:18	QALEXANDER	Maintenance Malfunction R	ELECSERV	Wires Down
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015936767	2020/07/14	09:03:46	CHECTOR	Assigned to	WRW2OM-E	Customer : Meter Reading/Consumption
1015954662	2020/07/13	13:26:25	TSCHORN2	Assigned to	WRE014	Sewer: Blocked/Overflow