

**ANNEXURE 3: AVIFAUNA AND PLANT SPECIES  
RECORDED IN THE TWO RIVERS URBAN PARK**

## INDIGENOUS AND ALIEN PLANT SPECIES RECORDED IN THE TWO RIVERS URBAN PARK

### A. Indigenous plants (38 species)

ANACARDIACEAE	<i>Rhus glauca</i>
ANACARDIACEAE	<i>Rhus laevigata</i>
ANACARDIACEAE	<i>Rhus lucida</i>
APONOGETONACEAE	<i>Aponogeton distachyos</i>
ARACEAE	<i>Zandtedeschia aethiopica</i>
ASTERACEAE	<i>Arctotheca calendula</i>
ASTERACEAE	<i>Chrysanthemoides monilifera</i>
ASTERACEAE	<i>Conyza ivaefolia</i>
ASTERACEAE	<i>Corula coronopifolia</i>
ASTERACEAE	<i>Helichrysum crispum</i>
ASTERACEAE	<i>Senecio burmannii</i>
ASTERACEAE	<i>Senecio littoreus</i>
CYPERACEAE	<i>Cyperus fastigiatus</i>
CYPERACEAE	<i>Cyperus cf. longus</i>
CYPERACEAE	<i>Cyperus textilis</i>
CYPERACEAE	<i>Scirpus venustulus</i>
FLACOURTIACEAE	<i>Kiggellaria africana</i>
GERANIACEAE	<i>Pelargonium capitarum</i>
IRIDACEAE	<i>Gladiolus tristis</i>
JUNCACEAE	<i>Bolboschoenus maritimus</i>
JUNCACEAE	<i>Juncus kraussii</i>
JUNCACEAE	<i>Scirpus nodosus</i>
LEMNACEAE	<i>Lemna gibba</i>
LOBELIACEAE	<i>Lobelia erinus</i>
MESEMBRYANTHEMACEAE	<i>Carpobrotus edulis</i>
MESEMBRYANTHEMACEAE	<i>Mesembryanthemum crystallinum</i>
ORCHIDACEAE	<i>Saryrium odorum</i>
POACEAE	<i>Cynodon dactylon</i>
POACEAE	<i>Paspalum dilaranum</i>
POACEAE	<i>Pennisetum macrourum</i>
POACEAE	<i>Phragmites australis</i>
POACEAE	<i>Sporobolus virginicus</i>
POACEAE	<i>Stenotaphrum secundatum</i>
POLYGONACEAE	<i>Polygonum salicifolium</i>
POLYGONACEAE	<i>Rumex sagittarum</i>
POTAMOGETONACEAE	<i>Potamogeton pectinatus</i>
STERCULIACEAE	<i>Hermannia sp</i>

### B. Alien plants (51 species)

ALISMATACEAE	<i>Alisma lanceolatum</i>
ALISMATACEAE	<i>Sagittaria satififolia</i>
AMARANTHACEAE	<i>Amaranthus sp</i>
ANACARDIACEAE	<i>Schinus terebinthifolius</i>
APOCYNACEAE	<i>Vinka major</i>
ASTERACEAE	<i>Chromolaena odorata</i>
ASTERACEAE	<i>Chrysanthemum coronarium</i>
ASTERACEAE	<i>Senecio pterophorus</i>

AZOLLACEAE	<i>Azolla filiculoides</i>
BETULACEAE	<i>Alnus glutinosa</i>
CANNACEAE	<i>Canna indica</i>
CERATOPHYLLACEAE	<i>Ceratophyllum demersum</i>
CHENOPODIACEAE	<i>Chenopodium album</i>
COMMELINACEAE	<i>Tradescantia flumenensis</i>
CONVOLVULACEAE	<i>Convolvulus farinosus</i>
CONVOLVULACEAE	<i>Ipomoea violacea</i>
CRUCIFERAE	<i>Nasturtium rorippa aquaricum</i>
EUPHORBIACEAE	<i>Ricinus communis</i>
FABACEAE	<i>Acacia cyclops</i>
FABACEAE	<i>Acacia mearnsii</i>
FABACEAE	<i>Acacia saligna</i>
FABACEAE	<i>Paraserianthes lophantha</i>
FABACEAE	<i>Sesbania punicea</i>
PAPILIONACEAE	<i>Vicia atropurpurea</i>
HALORAGIDACEAE	<i>Myriophyllum aquaricum</i>
HYDROCHARITACEAE	<i>Lagarosiphon major</i>
LYTHRACEAE	<i>Lythrum virgatum</i> *
MALVACEAE	<i>Malva Nicense</i>
MALVACEAE	<i>Malva parviflora</i>
MORACEAE	<i>Cannabis sariva</i>
MYOPORACEAE	<i>Myoporum serratum</i>
MYRTACEAE	<i>Eucalyptus grandis</i>
MYRTACEAE	<i>Eucalyptus lehmannii</i>
NYMPHAEACEAE	<i>Nymphaea sp</i>
PINACEAE	<i>Pinus pinea</i>
POACEAE	<i>Avena farua</i>
POACEAE	<i>Lagurus ovatus</i>
POACEAE	<i>Lolium cf. multiflorum</i>
POACEAE	<i>Paspalum vaginatum</i>
POACEAE	<i>Pennisetum clandestinum</i>
POACEAE	<i>Pennisetum macrourum</i>
POACEAE	<i>Vulpia myuros</i>
POLYGONACEAE	<i>Polygonum kitaibelianum</i>
PONTEDERIACEAE	<i>Eichornia crassipes</i>
SALICACEAE	<i>Populus canescens</i>
SALICACEAE	<i>Salix babylonica</i>
SALICACEAE	<i>Salix fragilis</i>
SOLANACEAE	<i>Darura stramonium</i>
TROPAEOLACEAE	<i>Tropaeolum majus</i>
ULMACEAE	<i>Ulmus procera</i>
VERBENACEAE	<i>Verbena bonariensis</i>

\* K Roux, pers obs

## BIRD SPECIES RECORDED IN THE TWO RIVERS URBAN PARK

(a) Waterbird species (separated into orders) and (b) terrestrial species that have been recorded at the Black River wetlands and surrounding areas. Red Data species are underlined, and denotes Southern African endemics. Details of the counts, seasonality and breeding status are given as follows:

### Counts:

Max. Recorded or  
C: common  
++: recorded  
+: probably occurs

### Seasonability:

A: all year  
SP: spring  
SM: summer  
M: migrant  
OV: occasional visitor  
RV: rare visit

### Breeding

B: breeds  
PB: probably breeds  
PNB: probably does not breed  
NB: does not breed

(a) WATERBIRD SPECIES	Max.	Seas.	Br.
<b>Grebes</b>			
Dabchick <i>Tachybaptus ruficollis</i>	10	A	PB
<b>Pelicans</b>			
<u>White Pelican</u> <i>Pelecanus onocrotalus</i>	12	SP	NB
<b>Cormorants</b>			
Whitebreasted Cormorant <i>Phalacrocorax carbo</i>	20	A	PNB
Reed Cormorant <i>P. Africanus</i>	20	A	PNB
Darter <i>Anhinga melanogaster</i>	10	A	PNB
<b>Hérons</b>			
Grey Heron <i>ardea cinerea</i>	13	A	B
Blackheaded Heron <i>A melanocephela</i>	6	A	PNB
Purple Heron <i>A purpurea</i>	5	A	B
Great White Egret <i>Egretta alba</i>	2	OV	NB
Little Egret <i>E garzetta</i>	5	A	PNB
Yellowbilled Egret <i>E intermedia</i>	6	OV	PNB
Cattle Egret <i>Bubulcus ibis</i>	30	A	PNB
Blackcrowned Night Heron <i>Nycticorax nycticorax</i>	25	A	B
<b>Bitterns</b>			
<u>Little Bittern</u> <i>Ixobrychus minurus</i>	2	RV	PNB
<b>Hamerkops</b>			
Hamerkop <i>Scopus umbretta</i>	2	RV	NB
<b>Ibises</b>			
Sacred Ibis <i>Threskiornis aethiopicus</i>	40	A	NB
Glossy Ibis <i>Plegadis falcinellus</i>	7	SP-SM	NB
African Spoonbill <i>Platalea alba</i>	6	SP-SM	NB
<b>Flamingoes</b>			
<u>Greater Flamingo</u> <i>Phoenicopterus ruber</i>	++	RV	NB

<b>(a) WATERBIRD SPECIES (Continued)</b>	<b>Max.</b>	<b>Seas.</b>	<b>Br.</b>
<b>Ducks &amp; Geese</b>			
Fulvous Duck <i>D bicolor</i>	++	RV	NB
Egyptian Goose <i>Alopochen aegyptiacus</i>	50	A	PB
Yellowbilled duck <i>Anas undulata</i>	100	A	B
Cape Teal <i>A capensis</i>	20	OV	NB
Redbilled Teal <i>A erythrorhyncha</i>	100	A	B
Cape Shoveller <i>A smithii*</i>	50	A	B
African black Duck <i>Anas sparsa</i>	6	A	B
Southern Pochard <i>Netta erythrophthalma</i>	6	SP	PNB
Spurwinged Goose <i>Plectropterus gambensis</i>	4	OV	NB
<b>Raptors</b>			
African Marsh Harrier <i>Circus ranivorus</i>	++	OV/SM	NB
<b>Rails</b>			
African Rail <i>Rallus caerulescens</i>	+	A	PB
Black Crake <i>Amaurornis flavirostris</i>	+	A	PB
Purple Gallinule <i>Porphyrio porphyrio</i>	13	A	B
Moorhen <i>Gallinula choropus</i>	25	A	B
Redknobbed Coot <i>Fulica cristata</i>	208	A	B
<b>Waders, gulls &amp; terns</b>			
Ringed Plover <i>Charadrius hiaticula</i>	2	M/SP	NB
Kittlitz's Plover <i>C pecuarius</i>	20	SP	PNB
Threebanded Plover <i>C tricoloris</i>	10	SP	PNB
Blacksmith Plover <i>Vanellus armatus</i>	108	A	B
Common Sandpiper <i>Tringa hypoleucos</i>	+	M/SP-SM	NB
Wood Sandpiper <i>T glareola</i>	6	M/SP-SM	NB
Marsh Sandpiper <i>T stagnarilis</i>	20	M/SP-SM	NB
Greenshank <i>T nebularia</i>	6	M/SP-SM	NB
Curlew Sandpiper <i>C ferruginea</i>	45	M/SP-SM	NB
Little Stint <i>C minuta</i>	10	M/SP-SM	NB
Ruff <i>Philomachus pugnax</i>	6	M/SP-SM	NB
Ethiopian Snipe <i>Gallinago nigripennis</i>	7	SP-SM	PB
Avocet <i>Recurvirostra avosetta</i>	100	SP-SM	PNB
Blackwinged Stilt <i>Himantopus himantopus</i>	40	SP-SM	PB
Water Dikkop <i>Burhinus vermiculatus</i>	+	A	PB
Kelp Gull <i>Larus dominicanus</i>	200	A	NB
Greyheaded Gull <i>L cirrocephalus</i>	+	A	NB
Hartlaub's Gull <i>L hartlaubii*</i>	1602	A	NB
Common Tern <i>Sterna hirundo</i>	+	M/SP-SM	NB
Swift Tern <i>S bergii</i>	++	A	NB
Whitewinged Tern <i>Chlidonias leucopterus</i>	+	M/SP-SM	NB
<b>Coucals</b>			
Burchell's Coucal <i>Centropus burchelli*</i>	4	A	PB
<b>Kingfishers</b>			
Pied Kingfisher <i>Ceryle rudis</i>	6	A	B
Giant Kingfisher <i>C maxima</i>	2	A	PB

<b>(a) WATERBIRD SPECIES (Continued)</b>	<b>Max.</b>	<b>Seas.</b>	<b>Br.</b>
Malachite Kingfisher <i>Alcedo cristata</i>	2	A	PB
<b>Passerines</b>			
Whitethroated Swallow <i>H albigularis</i>	C	M/SP	B
Brownthroated Martin <i>Riparia paludicola</i>	C	M/SM	PB
African Marsh Warbler <i>Acrocephalus baeticatus</i>	C	M/SP	PB
Cape Reed Warbler <i>A gracilirostris</i>	C	A	P
African Sedge Warbler <i>Bradypterus baboecala</i>	C	A	PB
Levaillant's Cisticola <i>C tinniens</i>	C	A	B
Cape Wagtail <i>Motacilla capensis</i>	10	A	PB
Cape Weaver <i>Ploceus capensis*</i>	C	SP	B
Masked Weaver <i>P velatus</i>	C	SP	B
Red Bishop <i>Euplectes orix</i>	C	SP	B
Yellowrumped Widow <i>E capensis</i>	C	SP	B
Common Waxbill <i>Estrilda astrild</i>	C	SP	PB
<b>(b) OTHER SPECIES</b>			
Hadedda ibis <i>Hagedashia hagedash</i>	C		
Crowned Plover <i>Stephanibyx coronarus</i>	C		
Yellowbilled Kite <i>Milvus migrans</i>	++		
Blackshouldered Kite <i>Elanus caeruleus</i>	C		
Steppe Buzzard <i>Buteo buteo</i>	C		
Redbreasted Sparrowhawk <i>Accipiter rufiventris</i>	C		
African Goshawk <i>Accipiter tachiro</i>	+		
Peregrine Falcon <i>Falco peregrinus</i>	+		
Lanner Falcon <i>Falco biarmicus</i>	++		
Rock Kestrel <i>Falco tinnunculus</i>	+		
Cape Francolin <i>Francolinus capensis*</i>	C		
Spotted Dikkop <i>Burhinus capensis</i>	C		
Rock Pigeon <i>Columba guinea</i>	C		
Redeyed Dove <i>Streptopelia semitorquara</i>	C		
Cape Turtle Dove <i>S capicola</i>	C		
Laughing Dove <i>S senegalensis</i>	C		
Klaas's Cuckoo <i>Chrysococcyx klaas</i>	++		
Diederik's Cuckoo	++		
Barn Owl <i>Tyto alba</i>	++		
Spotted Eagle Owl <i>Bubo africanus</i>	++		
Fierynecked Nightjar <i>Caprimulgus pectoralis</i>	+		
Whiterumped Swift <i>Apus caffer</i>	+		
Little Swift <i>A affinis</i>	C		
Alpine Swift <i>A melba</i>	C		
Pied Barbet <i>Lybius leucomelas</i>	+		
Redcapped Lark <i>Calandrella cinerea</i>	++		
European Swallow <i>Hirundo rustica</i>	C		
Greater Striped Swallow <i>Hirundo cucullata</i>	C		
Pied Crow <i>Corvus albus</i>	C		
Olive Thrush <i>Turdus olivaceus</i>	C		
Cape Robin <i>Cossypha caffra*</i>	++		
Barthroated Apalis <i>Apalis thoracica</i>	+		

<b>(b) OTHER SPECIES (Continued)</b>	<b>Max.</b>	<b>Seas.</b>	<b>Br.</b>
Grassbird <i>Sphenoeacus afer</i> *	+		
Fantailed Cisticola <i>Cisticola juncidis</i>	C		
Neddicky <i>C fulvicapilla</i>	++		
Spotted Prinia <i>Prinia maculosa</i> *	C		
Spotted Prinia <i>Prinia maculosa</i> *	C		
Cape Batis <i>Batis capensis</i>	+		
Grassveld Pipit <i>Anthus novaseelandiae</i>	+		
Orangethroated Longclaw <i>Macronyx capensis</i> *	C		
Fiscal Shrike <i>Lanius collaris</i>	C		
Southern Boubou <i>Laniarius ferrugineus</i> *	+		
Bokmakierie <i>Telophorus zeylonus</i> *	+		
European Starling <i>Sturnus vulgaris</i>	C		
Redwinged Starling <i>Onychognathus morio</i>	C		
Lesser Doublecollared Sunbird <i>Cinnyris chalybeus</i> *	++		
Cape White-eye <i>Zosterops pallidus</i> *	C		
House Sparrow <i>Passer domesticus</i>	C		
Cape Sparrow <i>P melanurus</i> *	C		
Pintailed Whydah <i>Vidua macroura</i>	C		
Cape Canary <i>Serinus canicollis</i>	C		
Whitefronted Plover		1.9	+
Chestnutbanded Plover			+
Kittlitz's Plover	<u>6.7</u>	33.4	+
Threebanded Plover	<u>3.3</u>	4.2	0.6
Greater Sandplover			+
Grey Plover		1.9	+
Blacksmith Plover	36.0	7.8	2.1
Turnstone		0.3	+
Terek Sandpiper			+
Common Sandpiper		+	+
Wood Sandpiper	2.0	0.7	0.1
Marsh Sandpiper	<u>6.7</u>	7.3	+
Greenshank	<u>2.0</u>	3.8	0.1
Curlew Sandpiper	<u>15.0</u>	272.6	0.6
Little Stint	<u>3.3</u>	82.4	2.6
Sanderling		3.9	+
Ruff	<u>2.0</u>	115.4	1.9
Ethiopian Snipe #	<u>2.3</u>	2.5	1.6
Bartailed Godwit		+	+
Curlew			+
Whimbrel		+	+
Avocet	<u>33.3</u>	76.9	7.0
Blackwinged Stilt	<u>13.3</u>	19.2	0.7
Water Dikkop #		0.2	+
Kelp Gull	66.7	36.8	12.9
Greyheaded Gull		0.1	0.7
Harlaub's Gull*	534.0	138.4	5.3
<u>Caspian Tern</u>		0.6	2.1
Swift Tern		0.9	5.0
Sandwich Tern		10.0	+
Common Tern		38.5	2.0

<b>(b) OTHER SPECIES (Continued)</b>	<b>Max.</b>	<b>Seas.</b>	<b>Br.</b>
Arctic Tern			+
Whiskered Tern		+	+
Whitewinged Tern		30.9	0.1
Burchell's Coucal *	1.3	+	0.1
Marsh Owl		+	+
Pied Kingfisher	2.0	0.7	0.6
Giant Kingfisher	0.7		0.4
Halfcollared Kingfisher			+
Malachite Kingfinger #	0.7	0.1	0.4
Whitethroated Swallow	C	C	C
Brownthroated Martin	C	C	C
African March Warbler	C	C	C
African Sedge Warbler	C	C	C
Levaillant's Cisticola	C	C	C
Cape Wagtail	C	C	C
Cape Weaver *	C	C	C
Masked Weaver	C	C	C
Yellowrumped Widow	C	C	C
Red Bishop	C	C	C
Common Waxbill	C	C	C
<b>TOTAL:</b>	62	87	96





The main diets of waterbirds at the Black River wetlands (from Maclean 1984). Dominant dietary components are shaded black.

SPECIES	Terrestrial vegetation	Aquatic vegetation	Terr/aerial invertebrates	Aquatic invertebrates	Amphibian	Fish	Rodents, reptiles etc
Dabchick							
White Pelican							
Whitebreasted Cormorant							
Reed Cormorant							
Darter							
Grey Heron							
Blackheaded heron							
Purple Heron							
Great White Egret							
Little Egret							
Yellowbilled Egret							
Cattle Egret							
Blackcrowned Night Heron							
Little Bittern							
Hamerkop							
Sacred Ibis							
Glossy Ibis							
African Spoonbill							
Greater Flamingo							
Fulvous Duck							
Egyptian Goose							
Yellowbilled Duck							
Cape Teal							
Redbilled Teal							
Cape Shoveller							
African Black Duck							
Southern Pochard							
Spurwinged Goose							
African Marsh Hamer							
African Rail							
Black Crane							
Purple Gallinule							

Moorhen							
Redknobbed Coot							
Ringed Plover							
Kittlitz's Plover							
Threebanded Plover							
Blacksmith Plover							
Common Sandpiper							
Wood Sandpiper							
Marsh Sandpiper							
Greenshank							
Curlew Sandpiper							
Little Stint							
Puff							
Ethiopian Snipe							
Avocet							
Blackwinged Stilt							
Water Dikkop							
Kelp Gull							
Hartlaub's Gull							
Common Tern							
Swift Tern							
Whitewinged Tern							
Burchell's Coucal							
Pied Kingfisher							
Giant Kingfisher							
Malachite Kingfisher							
Whitethroated Swallow							
Brownthroated Martin							
African Marsh Warbler							
Cape Reed Warbler							
African Sedge Warbler							
Lavaillant's Cisticola							
Cape Wagtail							
Cape Weaver							
Masked Weaver							
Red Bishop							
Yellowrumped Widow							
Common Waxbill							

## ANNEXURE 2f

Habit preferences of waterbirds at the Black River wetlands, for foraging (F), roosting/loafing (R) and nesting (B).

`+' denotes birds which use the area only as a flight path.

SPECIES	Deep Water	Shallow Water	Open Shore	Low Marsh	Tall Emergents	Aerial Over Water	Grass/bush Near Water
Dabchick	F B	F B					
White Pelican	F		R				
Whitebreasted Cormorant	F		R				
Reed Cormorant	F	F	R				
Darter	F		R				
Grey Heorn		F	R	F	R		
Blackheaded Heron							F
Purple Heron					F R B		
Great White Egret	F						
Little Egret		F			R		
Yellow-billed Egret				F			
Cattle Egret					R		F
Blackcrowned Night Heron			R	F	R B		
Little Bittern			F		F R B		
Hamerkop		F					
Sacred Ibis		F		F	R		F
Glossy Ibis			F	F	R		
Spoonbill		F					
Greater Flamingo		F					
Fulvous Duck	F	F					B
Egyptian Goose			R				B
Yellowbilled Duck	F	F	R	R			B

SPECIES	Deep Water	Shallow Water	Open Shore	Low Marsh	Tall Emergents	Aerial Over Water	Grass/bush Near Water
Cape Teal	F	F	R	R			
Redbilled Teal	F	F	R	R			B
Cape Shoveller	F	F	R				B
African Black Duck	F		R				B
Southern Pochard	F						B
Spurwinged Goose			R	R			
African Marsh Harrier			R		F B		
African Rail				F	F B		
Black Crake					F B		
Purple Gallinule		F		F	F B		
Moorhen	F	F			F B		
Redknobbed Coot	F B	F B			F B		
Ringed Plover							F R
Kittlitz's Plover			F R				
Threebanded Plover			F				F R
Blacksmith Plover			F R				
Common Sandpiper			F R	R			F
Wood Sandpiper			F	R			
Marsh Sandpiper			F	R			
Greenshank			F	R			
Curlew Sandpiper			F				
Little Stint			F R				
Ruff			F R	R			
Ethiopian Snipe			F	F B			
Avocet		F					
Blackwinged Stilt		F	R				
Water Dikkop			R				F
Kelp Gull			F				R
Greyheaded Gull			R				R
Hartlaub's Gull			R				R
Common Tern			R			+	
Swift Tern						+	
Whitewinged Tern						F	
Burchell's Coucal					F B		
Pied Kingfisher	F	F					

SPECIES	Deep Water	Shallow Water	Open Shore	Low Marsh	Tall Emergents	Aerial Over Water	Grass/bush Near Water
Giant Kingfisher	F	F					
Malachite Kingfisher	F	F					
Whitethroated Swallow						F	
Brownthroated Martin						F	
African Marsh Warbler					F B		F
Cape Reed Warbler					F B		
African Sedge Warbler					F B		
Levaillant's Cisticola				F B	F		F B
Cape Wagtail			F	F B			F
Cape Weaver					B		F
Masked Weaver					B		F
Red Bishop					B		F
Yellowrumped Widow					B		F
Common Waxbill				F			

## ANNEXURE 2g

Waterbird species richness and abundance in different parts of the Black River wetlands (Max., C = common but not counted, ++ = recorded), VW = Valkenberg wetland, LR = Liesbeek River, LL = Liesbeek Lake, OL - Old Liesbeek, LC = Liesbeek Canal, BR = Black River, RN = Raapenberg North, RS = Raapenberg South, RE = Rappenberg East, PW - Pallotti wetlands.

WATERBIRD SPECIES	VW	LR	LL	OL	LC	BR	RN	RS	PW
Dabchick	6		4	1		6	6	2	6
White Pelican			12		3	2	5		
Whitebreasted Cormorant	1		6		20	10	4	1	8
Reed Cormorant	6		8	6	12	7	8		4
Darter	2		1	2	6	4	12		2
Grey Heron	7		1	1	4	4	12	++	4
Blackheaded Heron	2			1	3	1	3		4
Purple Heron	1		1	++			2		1
Great White Egret	++				4	1	2		++
Little Egret	1		6	6	6	1	4		7
Yellowbilled Egret	1		++	1	20		++		++

Cattle Egret			C		3		10		8
Blackcrowned Night Heron	25	1		1		1	6		12
Little Bittern	++								++
Hamerkop	2								
Sacred Ibis	2		15	1			8	1	10
Glossy Ibis	7						1	1	3
African Spoonbill	4						1	++	2
Egyptian Goose	2		5			7	20		4
Yellowbilled Duck	20			3	1	16	100		100
Cape Teal							10		++
Redbilled Teal	8			5		21	38		100
Cape Shoveller	1					14	35	40	40
African Black Duck	2	6					2		1
Southern Pochard	2						10		1
Spurwinged Goose	++								
African marsh harrier							1		1
Purple Gallinule	2		1	1	2	1	3	3	8
Moorhen	6		2	6	1	6	6	4	6
Redknobbed Coot	12	1	6	6	3	163	80	10	26
Ringed Plover							2		
Kittlitz's Plover							++	++	++
Threebanded Plover						2	++	++	++
Blacksmith Plover	6	2	20	2		6	71	1	30
Wood Sandpiper							2		1
Marsh Sandpiper							2		++
Greenshank						2	1		++
Curlew Sandpiper						40	45		++
Little Stint							10		++
Ruff						4	4		++
Ethiopian Snipe						5	7		3

Avocent						60	31	++	30
Blackwinged Stilt	6					30	22	++	20
Kelp Gull			200						50
Hartlaub's Gull			160 2			3	200		50
Hartlaub's Gull									1
Burchell's Coucal	2			2					3
Pied Kingfisher				2	2	2	4	1	
Giant Kingfisher			1	2	1		2		
Malachite Kingfisher		++	++	3	1				
Whitethroated Swallow	++		++	++		4	++	1	4
Brownthroated Martin	++		++	++			++	++	++
African Marsh Warbler						1	1		1
Cape Reed Warbler	C	1			1		10	C	C
African Sedge Warbler	C			C			12	C	C
Levaillant's Cisticola	C	C	C	C	C	C	C	C	C
Cape Wagtail	++		1	++		1	1	++	6
Cape Weaver	C	C		C		C	C	C	C
Masked Weaver	++			C		C	C	C	C
Red Bishop							++	C	C
Yellowrumped Widow				++		C	++		C
Common Waxbill						C	20	C	C

