

SERVICE LEVELS INDICATORS BY WARD

| 2006 WARD | % Households living in Informal Dwellings | % Households with no access to electricity for lighting | % Households with no flush or chemical toilet | % Households with no potable water on-site or in-dwelling | % Households with no refuse removal by local authority weekly or less | Service Index |
|-----------|---|---|---|---|---|---------------|
| WARD 1 | 0.31 | 0.42 | 0.95 | 3.52 | 0.17 | 1.08 |
| WARD 2 | 0.24 | 0.58 | 0.75 | 2.17 | 0.19 | 0.79 |
| WARD 3 | 0.50 | 0.45 | 0.91 | 3.88 | 0.52 | 1.25 |
| WARD 4 | 5.19 | 3.21 | 1.53 | 4.11 | 0.50 | 2.91 |
| WARD 5 | 0.23 | 0.54 | 0.70 | 4.08 | 0.24 | 1.16 |
| WARD 6 | 69.33 | 43.34 | 28.01 | 43.79 | 3.28 | 37.55 |
| WARD 7 | 3.98 | 1.03 | 2.31 | 7.00 | 1.71 | 3.21 |
| WARD 8 | 0.94 | 2.17 | 3.60 | 7.45 | 8.43 | 4.52 |
| WARD 9 | 7.47 | 2.45 | 4.69 | 2.63 | 0.46 | 3.54 |
| WARD 10 | 1.14 | 0.30 | 1.66 | 5.69 | 0.32 | 1.82 |
| WARD 11 | 8.78 | 2.21 | 2.62 | 4.90 | 0.29 | 3.76 |
| WARD 12 | 3.36 | 2.37 | 3.87 | 4.14 | 0.28 | 2.80 |
| WARD 13 | 3.52 | 0.64 | 3.82 | 9.55 | 0.36 | 3.58 |
| WARD 14 | 6.40 | 6.74 | 7.31 | 8.22 | 7.89 | 7.31 |
| WARD 15 | 11.28 | 10.55 | 12.60 | 10.70 | 7.96 | 10.62 |
| WARD 16 | 4.70 | 1.35 | 2.40 | 3.98 | 0.90 | 2.67 |
| WARD 17 | 6.50 | 3.84 | 4.84 | 5.89 | 0.46 | 4.30 |
| WARD 18 | 46.67 | 43.30 | 26.85 | 47.67 | 9.71 | 34.84 |
| WARD 19 | 3.44 | 1.60 | 3.03 | 3.94 | 1.83 | 2.77 |
| WARD 20 | 9.22 | 2.73 | 3.32 | 5.03 | 0.33 | 4.13 |
| WARD 21 | 0.34 | 0.36 | 1.08 | 2.07 | 0.33 | 0.84 |
| WARD 22 | 7.20 | 5.91 | 6.06 | 7.42 | 4.34 | 6.18 |
| WARD 23 | 2.51 | 4.22 | 3.00 | 6.05 | 5.66 | 4.29 |
| WARD 24 | 16.91 | 13.58 | 13.58 | 14.27 | 6.05 | 12.88 |
| WARD 25 | 3.31 | 3.16 | 2.57 | 3.44 | 0.49 | 2.59 |
| WARD 26 | 2.20 | 2.43 | 2.78 | 5.63 | 2.00 | 3.01 |
| WARD 27 | 0.39 | 0.27 | 0.86 | 2.43 | 0.26 | 0.84 |
| WARD 28 | 5.20 | 4.61 | 2.54 | 8.90 | 4.47 | 5.15 |
| WARD 29 | 2.66 | 1.85 | 5.05 | 3.03 | 2.13 | 2.94 |
| WARD 30 | 7.11 | 2.61 | 3.48 | 3.76 | 1.63 | 3.72 |
| WARD 31 | 8.72 | 1.14 | 3.76 | 8.86 | 0.25 | 4.55 |
| WARD 32 | 14.54 | 14.84 | 15.47 | 16.89 | 5.42 | 13.43 |
| WARD 33 | 55.62 | 48.20 | 43.99 | 48.57 | 43.65 | 48.00 |
| WARD 34 | 54.16 | 40.24 | 29.25 | 31.17 | 7.04 | 32.37 |
| WARD 35 | 8.91 | 4.29 | 4.16 | 7.59 | 2.65 | 5.52 |
| WARD 36 | 47.05 | 41.17 | 43.98 | 44.41 | 10.81 | 37.48 |
| WARD 37 | 43.06 | 28.05 | 25.75 | 32.95 | 3.14 | 26.59 |
| WARD 38 | 7.72 | 3.86 | 0.92 | 3.44 | 0.00 | 3.19 |
| WARD 39 | 72.77 | 31.02 | 55.55 | 56.70 | 9.62 | 45.13 |
| WARD 40 | 59.24 | 53.55 | 60.26 | 61.67 | 0.99 | 47.14 |
| WARD 41 | 13.33 | 10.15 | 8.22 | 11.11 | 4.11 | 9.38 |
| WARD 42 | 15.24 | 3.79 | 9.76 | 15.76 | 3.52 | 9.61 |
| WARD 43 | 0.91 | 0.75 | 1.95 | 2.99 | 0.61 | 1.44 |
| WARD 44 | 26.58 | 18.01 | 24.69 | 26.32 | 1.26 | 19.37 |
| WARD 45 | 8.14 | 1.24 | 4.19 | 6.59 | 0.18 | 4.07 |
| WARD 46 | 5.95 | 1.50 | 3.95 | 11.05 | 0.87 | 4.66 |
| WARD 47 | 6.69 | 0.92 | 3.80 | 4.35 | 0.36 | 3.22 |
| WARD 48 | 2.27 | 2.68 | 3.21 | 5.95 | 1.39 | 3.10 |

| 2006 WARD | % Households living in Informal Dwellings | % Households with no access to electricity for lighting | % Households with no flush or chemical toilet | % Households with no potable water on-site or in-dwelling | % Households with no refuse removal by local authority weekly or less | Service Index |
|----------------------|--|--|--|--|--|--------------------------|
| WARD 49 | 3.70 | 0.61 | 5.75 | 3.57 | 0.14 | 2.75 |
| WARD 50 | 8.97 | 0.21 | 4.10 | 4.59 | 0.27 | 3.63 |
| WARD 51 | 23.15 | 14.00 | 8.78 | 16.30 | 0.11 | 12.47 |
| WARD 52 | 68.58 | 51.31 | 58.24 | 67.47 | 7.90 | 50.70 |
| WARD 53 | 3.26 | 2.16 | 1.47 | 7.38 | 0.79 | 3.01 |
| WARD 54 | 0.43 | 1.01 | 1.23 | 3.86 | 0.71 | 1.45 |
| WARD 55 | 1.60 | 0.72 | 1.05 | 3.88 | 0.45 | 1.54 |
| WARD 56 | 4.68 | 1.22 | 3.36 | 4.08 | 0.25 | 2.72 |
| WARD 57 | 0.64 | 1.29 | 1.43 | 3.43 | 0.47 | 1.45 |
| WARD 58 | 0.29 | 0.95 | 0.88 | 3.08 | 0.54 | 1.15 |
| WARD 59 | 0.45 | 0.84 | 1.10 | 2.87 | 0.50 | 1.15 |
| WARD 60 | 0.92 | 1.10 | 1.34 | 5.70 | 0.63 | 1.94 |
| WARD 61 | 5.36 | 3.11 | 4.69 | 6.45 | 1.50 | 4.22 |
| WARD 62 | 0.43 | 0.81 | 0.82 | 3.81 | 0.27 | 1.23 |
| WARD 63 | 0.68 | 1.55 | 1.34 | 3.82 | 0.31 | 1.54 |
| WARD 64 | 7.10 | 3.95 | 4.85 | 6.51 | 2.96 | 5.07 |
| WARD 65 | 4.48 | 1.44 | 3.13 | 4.93 | 0.38 | 2.87 |
| WARD 66 | 5.62 | 0.89 | 4.27 | 4.17 | 4.91 | 3.97 |
| WARD 67 | 7.76 | 2.43 | 5.96 | 13.44 | 0.36 | 5.99 |
| WARD 68 | 4.98 | 0.51 | 4.46 | 4.99 | 0.25 | 3.04 |
| WARD 69 | 28.54 | 7.59 | 3.46 | 8.12 | 3.26 | 10.19 |
| WARD 70 | 0.48 | 0.56 | 0.68 | 2.29 | 0.67 | 0.94 |
| WARD 71 | 0.28 | 0.38 | 0.87 | 4.82 | 0.60 | 1.39 |
| WARD 72 | 1.15 | 0.90 | 1.93 | 4.49 | 0.25 | 1.74 |
| WARD 73 | 0.31 | 0.54 | 0.83 | 2.78 | 0.24 | 0.94 |
| WARD 74 | 30.16 | 16.34 | 16.13 | 22.35 | 4.78 | 17.95 |
| WARD 75 | 9.60 | 3.79 | 2.07 | 3.20 | 1.90 | 4.11 |
| WARD 76 | 2.04 | 0.61 | 2.45 | 3.37 | 0.24 | 1.74 |
| WARD 77 | 0.92 | 1.17 | 1.65 | 4.13 | 1.30 | 1.83 |
| WARD 78 | 1.19 | 0.31 | 1.51 | 3.12 | 0.28 | 1.28 |
| WARD 79 | 2.85 | 0.43 | 2.52 | 3.08 | 0.21 | 1.82 |
| WARD 80 | 78.22 | 84.09 | 81.89 | 84.50 | 40.44 | 73.83 |
| WARD 81 | 2.02 | 0.35 | 2.74 | 4.56 | 0.23 | 1.98 |
| WARD 82 | 3.38 | 0.32 | 2.55 | 4.00 | 0.20 | 2.09 |
| WARD 83 | 1.31 | 0.45 | 1.86 | 4.04 | 0.38 | 1.61 |
| WARD 84 | 0.47 | 0.74 | 0.99 | 2.77 | 3.85 | 1.77 |
| WARD 85 | 52.39 | 49.68 | 39.86 | 56.53 | 33.01 | 46.29 |
| WARD 86 | 44.19 | 27.16 | 29.76 | 53.39 | 20.54 | 35.01 |
| WARD 87 | 78.48 | 16.74 | 16.87 | 30.01 | 0.24 | 28.47 |
| WARD 88 | 33.02 | 25.72 | 25.69 | 24.43 | 22.52 | 26.28 |
| WARD 89 | 96.17 | 34.29 | 44.32 | 48.49 | 0.62 | 44.78 |
| WARD 90 | 78.08 | 52.18 | 70.63 | 71.09 | 9.41 | 56.28 |
| WARD 91 | 79.56 | 54.21 | 63.66 | 68.08 | 4.51 | 54.00 |
| WARD 92 | 56.52 | 32.21 | 41.86 | 44.50 | 2.38 | 35.50 |
| WARD 93 | 77.60 | 36.82 | 67.15 | 68.44 | 9.98 | 52.00 |
| WARD 94 | 20.92 | 11.64 | 11.19 | 12.64 | 0.18 | 11.31 |
| WARD 95 | 37.52 | 3.13 | 1.14 | 7.52 | 0.23 | 9.91 |
| WARD 96 | 75.18 | 4.15 | 1.01 | 1.74 | 0.23 | 16.46 |
| WARD 97 | 33.63 | 2.54 | 1.22 | 2.05 | 0.37 | 7.96 |
| WARD 98 | 43.79 | 3.02 | 1.44 | 4.05 | 0.22 | 10.50 |

| 2006 WARD | % Households living in Informal Dwellings | % Households with no access to electricity for lighting | % Households with no flush or chemical toilet | % Households with no potable water on-site or in-dwelling | % Households with no refuse removal by local authority weekly or less | Service Index |
|--------------|--|--|---|--|--|------------------|
| WARD 99 | 54.43 | 13.64 | 54.95 | 58.61 | 22.74 | 40.87 |
| WARD 100 | 7.97 | 7.44 | 10.92 | 13.39 | 7.64 | 9.48 |
| WARD 101 | 4.11 | 39.67 | 1.74 | 2.63 | 1.36 | 9.90 |
| WARD 102 | 1.51 | 0.57 | 0.83 | 2.79 | 0.27 | 1.19 |
| WARD 106 | 0.87 | 1.65 | 2.28 | 4.87 | 3.05 | 2.54 |
| WARD 104 | 19.77 | 33.41 | 27.53 | 32.23 | 27.80 | 28.15 |
| WARD 105 | 4.68 | 14.53 | 12.55 | 9.61 | 29.71 | 14.22 |
| Total | 18.90 | 11.19 | 12.47 | 15.58 | 4.18 | 12.46 |

Source: 2001 Census, Statistics South Africa