

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
	LAB TESTS: WATER (DRINKING)		All charges are per test.						
FCR	pH			54.35	62.50	y	56.43	64.90	3.84%
FCR	Conductivity			54.35	62.50	y	56.43	64.90	3.84%
FCR	Alkalinity			54.35	62.50	y	56.43	64.90	3.84%
FCR	Chloride			54.35	62.50	y	56.43	64.90	3.84%
FCR	Colour			54.35	62.50	y	56.43	64.90	3.84%
FCR	Calcium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Magnesium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Aluminium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Iron mg			81.57	93.80	y	84.78	97.50	3.94%
FCR	Antimony			81.57	93.80	y	84.78	97.50	3.94%
FCR	Arsenic (undigested)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Cyanide (total dissolved)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Phenol (total dissolved or free)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Selenium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Total Organic Carbon (TOC)			234.87	270.10	y	244.00	280.60	3.89%
FCR	Cadmium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Chromium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Cobalt			81.57	93.80	y	84.78	97.50	3.94%
FCR	Lead			81.57	93.80	y	84.78	97.50	3.94%
FCR	Nickel			81.57	93.80	y	84.78	97.50	3.94%
FCR	Strontium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Total Hardness			81.57	93.80	y	84.78	97.50	3.94%
FCR	Calcium Hardness			81.57	93.80	y	84.78	97.50	3.94%
FCR	Magnesium Hardness			81.57	93.80	y	84.78	97.50	3.94%
FCR	Turbidity NTU			81.57	93.80	y	84.78	97.50	3.94%
FCR	Vanadium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Zinc			81.57	93.80	y	84.78	97.50	3.94%
FCR	Manganese			81.57	93.80	y	84.78	97.50	3.94%
FCR	Sodium			81.57	93.80	y	84.78	97.50	3.94%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
FCR	Potassium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Sulphate			81.57	93.80	y	84.78	97.50	3.94%
FCR	UV 4cm at 300nm			81.57	93.80	y	84.78	97.50	3.94%
FCR	Ammonia			81.57	93.80	y	84.78	97.50	3.94%
FCR	Residual Chlorine (DPD)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Total Dissolved Solids			81.57	93.80	y	84.78	97.50	3.94%
FCR	Nitrite (NO2)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Nitrate (NO3)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Nitrate + Nitrite			81.57	93.80	y	84.78	97.50	3.94%
FCR	Fluoride			81.57	93.80	y	84.78	97.50	3.94%
FCR	Copper			81.57	93.80	y	84.78	97.50	3.94%
FCR	Silica			81.57	93.80	y	84.78	97.50	3.94%
FCR	Phosphate (Total)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Geosmin and 2 Methylisoborneol			1 637.91	1 883.60	y	1 701.83	1 957.10	3.90%
FCR	Trihalomethanes			819.74	942.70	y	851.74	979.50	3.90%
	LAB TESTS WASTEWATER/SOLID WASTE/INDUSTRIAL EFFLUENT		All charges are per test.						
FCR	Total Suspended Solids			126.26	145.20	y	131.22	150.90	3.93%
FCR	Total + Volatile Suspended Solids			138.87	159.70	y	144.26	165.90	3.88%
FCR	Total + Volatile Solids			138.87	159.70	y	144.26	165.90	3.88%
FCR	Settleable Solids			70.52	81.10	y	73.30	84.30	3.95%
FCR	Total Solids			126.26	145.20	y	131.22	150.90	3.93%
FCR	COD			210.87	242.50	y	219.13	252.00	3.92%
FCR	COD (filt)			210.87	242.50	y	219.13	252.00	3.92%
FCR	TKN			210.87	242.50	y	219.13	252.00	3.92%
FCR	Ammonia			126.26	145.20	y	131.22	150.90	3.93%
FCR	Nitrate			169.39	194.80	y	176.00	202.40	3.90%
FCR	Nitrite			169.39	194.80	y	176.00	202.40	3.90%
FCR	Nitrate + Nitrite			169.39	194.80	y	176.00	202.40	3.90%
FCR	Total Phosphorous			210.87	242.50	y	219.13	252.00	3.92%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
FCR	Ortho-phosphate			138.87	159.70	y	144.26	165.90	3.88%
FCR	Chloride			126.26	145.20	y	131.22	150.90	3.93%
FCR	Sulphate			153.39	176.40	y	159.39	183.30	3.91%
FCR	pH			54.35	62.50	y	56.43	64.90	3.84%
FCR	pH (+sludges)			57.48	66.10	y	59.74	68.70	3.93%
FCR	Conductivity			57.48	66.10	y	59.74	68.70	3.93%
FCR	Alkalinity			126.26	145.20	y	131.22	150.90	3.93%
FCR	SVI			70.52	81.10	y	73.30	84.30	3.95%
FCR	DSVI			70.52	81.10	y	73.30	84.30	3.95%
FCR	Volatile Fatty Acids			138.87	159.70	y	144.26	165.90	3.88%
FCR	Tannin			138.87	159.70	y	144.26	165.90	3.88%
FCR	Hydrazine			138.87	159.70	y	144.26	165.90	3.88%
FCR	Hydrogen Sulphide			81.57	93.80	y	84.78	97.50	3.94%
FCR	Residual Chlorine			84.70	97.40	y	88.00	101.20	3.90%
FCR	Arsenic (digested)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Arsenic (undigested)			81.57	93.80	y	84.78	97.50	3.94%
FCR	BOD			365.83	420.70	y	380.09	437.10	3.90%
FCR	Boron			153.39	176.40	y	159.39	183.30	3.91%
FCR	Cyanide (total dissolved)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Fats & Oils (Gravimetric)			677.39	779.00	y	703.83	809.40	3.90%
FCR	Mercury			338.87	389.70	y	352.09	404.90	3.90%
FCR	Phenols (Total dissolved)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Metals (Individual)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Metals (Individual for Boreholes)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Metals (Individual for TCLP)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Metals (Total - Raw Influent)			2 872.87	3 303.80	y	2 984.87	3 432.60	3.90%
FCR	Metals (Total - Final Effluent)			2 872.87	3 303.80	y	2 984.87	3 432.60	3.90%
FCR	Metals (Total - Sludges)			3 002.43	3 452.80	y	3 119.57	3 587.50	3.90%
FCR	Calcium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Potassium			210.87	242.50	y	219.13	252.00	3.92%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
FCR	Lithium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Magnesium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Molybdenum			210.87	242.50	y	219.13	252.00	3.92%
FCR	Selenium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Sodium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Flashpoint			210.87	242.50	y	219.13	252.00	3.92%
	LAB TESTS: TOXIN ANALYSIS		All charges are per test.						
FCR	Microcystin - Eliza Method			1 492.35	1 716.20	y	1 550.52	1 783.10	3.90%
FCR	Mircocystin - HPLC Method			1 637.91	1 883.60	y	1 701.83	1 957.10	3.90%
	HYDROBIOLOGICAL ANALYSIS								
	Individual Tests								
FCR	Algal Enumeration & Identification			294.00	338.10	y	305.48	351.30	3.90%
FCR	Chlorophyll-a			271.74	312.50	y	282.35	324.70	3.90%
FCR	Phaeophytin			271.74	312.50	y	282.35	324.70	3.90%
	Price for combined tests			539.39	620.30	y	560.43	644.50	3.90%
	Algal Enumeration & Identification								
	Chlorophyll-a								
	Phaeophytin								
	LAB TESTS BACTERIOLOGICAL								
	INDIVIDUAL TESTS (treated water)		All charges are per test.						
FCR	Total heterotrophic Plate Count			123.22	141.70	y	128.00	147.20	3.88%
FCR	Total Coliform Count (membrane filtration method)			185.39	213.20	y	192.61	221.50	3.89%
FCR	Faecal Coliform Count (membrane filtration method)			185.39	213.20	y	192.61	221.50	3.89%
FCR	<i>E coli</i> + Faecal Coliform Count (membrane filtration method)			204.26	234.90	y	212.26	244.10	3.92%
FCR	Total Coliform + <i>E coli</i> (Colilert method)			327.57	376.70	y	340.35	391.40	3.90%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
FCR	<i>Pseudomonas</i>			188.52	216.80	y	195.91	225.30	3.92%
	INDIVIDUAL TESTS (environmental water)		All charges are per test.						
FCR	<i>E coli</i> + Faecal Coliform Count (membrane filtration method)			223.65	257.20	y	232.35	267.20	3.89%
FCR	<i>E coli</i> Count (1dilution) (colilert method)			327.57	376.70	y	340.35	391.40	3.90%
FCR	For every additional dilution (colilert method)			123.22	141.70	y	128.00	147.20	3.88%
FCR	Enterococcus Count (membrane filtration method)			N/A	N/A	y	N/A	N/A	
FCR	Enterococcus Count (enterolert method)			123.30	141.80	y	128.09	147.30	3.88%
FCR	PARASITES		Combined charges	4 947.04	5 689.10	y	5 140.00	5 911.00	3.90%
	Cryptosporidium and Giardia								
	LAB TESTS: HYDRO-ENVIRONMENTAL CHEMISTRY		All charges are per test.						
FCR	Alkalinity			126.26	145.20	y	131.22	150.90	3.93%
FCR	Aluminium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Ammonia			126.26	145.20	y	131.22	150.90	3.93%
FCR	Arsenic (digested)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Arsenic (undigested)			81.57	93.80	y	84.78	97.50	3.94%
FCR	BOD			365.83	420.70	y	380.09	437.10	3.90%
FCR	Boron			153.39	176.40	y	159.39	183.30	3.91%
FCR	Cadmium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Calcium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Calcium Hardness			81.57	93.80	y	84.78	97.50	3.94%
FCR	Chloride			126.26	145.20	y	131.22	150.90	3.93%
FCR	Chromium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Cobalt			81.57	93.80	y	84.78	97.50	3.94%
FCR	COD			210.87	242.50	y	219.13	252.00	3.92%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
FCR	COD (filtered)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Conductivity			57.48	66.10	y	59.74	68.70	3.93%
FCR	Copper			81.57	93.80	y	84.78	97.50	3.94%
FCR	Cyanide (total dissolved)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Dissolved Oxygen (probe)			54.35	62.50	y	56.43	64.90	3.84%
FCR	Flouride			81.57	93.80	y	84.78	97.50	3.94%
FCR	Geosmin & 2-Methylisoborneol			1 637.91	1 883.60	y	1 701.83	1 957.10	3.90%
FCR	Iron			81.57	93.80	y	84.78	97.50	3.94%
FCR	Lead			81.57	93.80	y	84.78	97.50	3.94%
FCR	Lithium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Magnesium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Magnesium Hardness			81.57	93.80	y	84.78	97.50	3.94%
FCR	Manganese			81.57	93.80	y	84.78	97.50	3.94%
FCR	Mercury			338.87	389.70	y	352.09	404.90	3.90%
FCR	Molybdenum			210.87	242.50	y	219.13	252.00	3.92%
FCR	Metals (Individual)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Metals (Individual for Boreholes)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Metals (Total - Sludges)		Combined Charge	3 002.43	3 452.80	y	3 119.57	3 587.50	3.90%
FCR	Nickel			81.57	93.80	y	84.78	97.50	3.94%
FCR	Nitrate			169.39	194.80	y	176.00	202.40	3.90%
FCR	Nitrite			169.39	194.80	y	176.00	202.40	3.90%
FCR	Nitrate + Nitrite			169.39	194.80	y	176.00	202.40	3.90%
FCR	Ortho-phosphate			138.87	159.70	y	144.26	165.90	3.88%
FCR	pH			54.35	62.50	y	56.43	64.90	3.84%
FCR	pH (Sludges)			57.48	66.10	y	59.74	68.70	3.93%
FCR	Phenols (total dissolved)			210.87	242.50	y	219.13	252.00	3.92%
FCR	Potassium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Residual Chlorine (DPD)			81.57	93.80	y	84.78	97.50	3.94%
FCR	Selenium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Silica			81.57	93.80	y	84.78	97.50	3.94%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2025/26 Recalculated excl. VAT	2025/26 R incl. VAT	VAT Yes/No	2026/27 Recalculated excl. VAT	2026/27 R incl. VAT	% Increase / decrease
FCR	Sodium			210.87	242.50	y	219.13	252.00	3.92%
FCR	Strontium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Sulphate			153.39	176.40	y	159.39	183.30	3.91%
FCR	Total Dissolved Solids			81.57	93.80	y	84.78	97.50	3.94%
FCR	Total Hardness			81.57	93.80	y	84.78	97.50	3.94%
FCR	TPON			210.87	242.50	y	219.13	252.00	3.92%
FCR	Total Phosphorous			210.87	242.50	y	219.13	252.00	3.92%
FCR	Total Solids			126.26	145.20	y	131.22	150.90	3.93%
FCR	Total Suspended Solids			126.26	145.20	y	131.22	150.90	3.93%
FCR	Total + Volatile Solids			138.87	159.70	y	144.26	165.90	3.88%
FCR	Total + Volatile Suspended Solids			138.87	159.70	y	144.26	165.90	3.88%
FCR	Turbidity			81.57	93.80	y	84.78	97.50	3.94%
FCR	UV 4cm at 300nm			81.57	93.80	y	84.78	97.50	3.94%
FCR	Vanadium			81.57	93.80	y	84.78	97.50	3.94%
FCR	Volatile Fatty Acids			138.87	159.70	y	144.26	165.90	3.88%
FCR	Zinc			81.57	93.80	y	84.78	97.50	3.94%
FCR	Nitrate/Nitrite			81.57	93.80	y	84.78	97.50	3.94%
FCR	Total Coliform Count/100ml (Membrane Filtration Method)			185.39	213.20	y	192.61	221.50	3.89%
FCR	Oil (Total)			677.39	779.00	y	703.83	809.40	3.90%
FCR	Sulphides			210.87	242.50	y	219.13	252.00	3.92%
FCR	Total Nitrogen			210.87	242.50	y	219.13	252.00	3.92%
FCR	Sodium Absorption Ratio			81.57	93.80	y	84.78	97.50	3.94%
FCR	UV at 254nm			81.57	93.80	y	84.78	97.50	3.94%
A MINIMUM ADMINISTRATIVE HANDLING FEE OF R432.78 (VAT EXCLUSIVE) WILL BE CHARGED PER SAMPLE. IF THE ANALYSIS REQUESTED AMOUNTS TO MORE THAN R432.78 PER SAMPLE, THEN ONLY THE COST OF THE ANALYSIS WILL BE CHARGED									