

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
	LAB TESTS: WATER (DRINKING)		All charges are per test.						
FCR	pH			52.00	59.80	y	54.35	62.50	4.52%
FCR	Conductivity			52.00	59.80	y	54.35	62.50	4.52%
FCR	Alkalinity			52.00	59.80	y	54.35	62.50	4.52%
FCR	Chloride			52.00	59.80	y	54.35	62.50	4.52%
FCR	Colour			52.00	59.80	y	54.35	62.50	4.52%
FCR	Calcium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Magnesium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Aluminium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Iron mg			78.09	89.80	y	81.57	93.80	4.45%
FCR	Antimony			78.09	89.80	y	81.57	93.80	4.45%
FCR	Arsenic (undigested)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Cyanide (total dissolved)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Phenol (total dissolved or free)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Selenium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Total Organic Carbon (TOC)			224.78	258.50	y	234.87	270.10	4.49%
FCR	Cadmium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Chromium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Cobalt			78.09	89.80	y	81.57	93.80	4.45%
FCR	Lead			78.09	89.80	y	81.57	93.80	4.45%
FCR	Nickel			78.09	89.80	y	81.57	93.80	4.45%
FCR	Strontium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Total Hardness			78.09	89.80	y	81.57	93.80	4.45%
FCR	Calcium Hardness			78.09	89.80	y	81.57	93.80	4.45%
FCR	Magnesium Hardness			78.09	89.80	y	81.57	93.80	4.45%
FCR	Turbidity NTU			78.09	89.80	y	81.57	93.80	4.45%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	Vanadium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Zinc			78.09	89.80	y	81.57	93.80	4.45%
FCR	Manganese			78.09	89.80	y	81.57	93.80	4.45%
FCR	Sodium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Potassium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Sulphate			78.09	89.80	y	81.57	93.80	4.45%
FCR	UV 4cm at 300nm			78.09	89.80	y	81.57	93.80	4.45%
FCR	Ammonia			78.09	89.80	y	81.57	93.80	4.45%
FCR	Residual Chlorine (DPD)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Total Dissolved Solids			78.09	89.80	y	81.57	93.80	4.45%
FCR	Nitrite (NO2)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Nitrate (NO3)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Nitrate + Nitrite			78.09	89.80	y	81.57	93.80	4.45%
FCR	Fluoride			78.09	89.80	y	81.57	93.80	4.45%
FCR	Copper			78.09	89.80	y	81.57	93.80	4.45%
FCR	Silica			78.09	89.80	y	81.57	93.80	4.45%
FCR	Phosphate (Total)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Geosmin and 2 Methylisoborneol			1 567.39	1 802.50	y	1 637.91	1 883.60	4.50%
FCR	Trihalomethanes			784.43	902.10	y	819.74	942.70	4.50%
	LAB TESTS WASTEWATER/SOLID WASTE/INDUSTRIAL EFFLUENT		All charges are per test.						
FCR	Total Suspended Solids			120.78	138.90	y	126.26	145.20	4.54%
FCR	Total + Volatile Suspended Solids			132.87	152.80	y	138.87	159.70	4.52%
FCR	Total + Volatile Solids			132.87	152.80	y	138.87	159.70	4.52%
FCR	Settleable Solids			67.48	77.60	y	70.52	81.10	4.51%
FCR	Total Solids			120.78	138.90	y	126.26	145.20	4.54%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	COD			201.83	232.10	y	210.87	242.50	4.48%
FCR	COD (filt)			201.83	232.10	y	210.87	242.50	4.48%
FCR	TKN			201.83	232.10	y	210.87	242.50	4.48%
FCR	Ammonia			120.78	138.90	y	126.26	145.20	4.54%
FCR	Nitrate			162.09	186.40	y	169.39	194.80	4.51%
FCR	Nitrite			162.09	186.40	y	169.39	194.80	4.51%
FCR	Nitrate + Nitrite			162.09	186.40	y	169.39	194.80	4.51%
FCR	Total Phosphorous			201.83	232.10	y	210.87	242.50	4.48%
FCR	Ortho-phosphate			132.87	152.80	y	138.87	159.70	4.52%
FCR	Chloride			120.78	138.90	y	126.26	145.20	4.54%
FCR	Sulphate			146.78	168.80	y	153.39	176.40	4.50%
FCR	pH			52.00	59.80	y	54.35	62.50	4.52%
FCR	pH (+sludges)			55.04	63.30	y	57.48	66.10	4.42%
FCR	Conductivity			55.04	63.30	y	57.48	66.10	4.42%
FCR	Alkalinity			120.78	138.90	y	126.26	145.20	4.54%
FCR	SVI			67.48	77.60	y	70.52	81.10	4.51%
FCR	DSVI			67.48	77.60	y	70.52	81.10	4.51%
FCR	Volatile Fatty Acids			132.87	152.80	y	138.87	159.70	4.52%
FCR	Tannin			132.87	152.80	y	138.87	159.70	4.52%
FCR	Hydrazine			132.87	152.80	y	138.87	159.70	4.52%
FCR	Hydrogen Sulphide			78.09	89.80	y	81.57	93.80	4.45%
FCR	Residual Chlorine			81.04	93.20	y	84.70	97.40	4.51%
FCR	Arsenic (digested)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Arsenic (undigested)			78.09	89.80	y	81.57	93.80	4.45%
FCR	BOD			350.09	402.60	y	365.83	420.70	4.50%
FCR	Boron			146.78	168.80	y	153.39	176.40	4.50%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	Cyanide (total dissolved)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Fats & Oils (Gravimetric)			648.26	745.50	y	677.39	779.00	4.49%
FCR	Mercury			324.26	372.90	y	338.87	389.70	4.51%
FCR	Phenols (Total dissolved)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Metals (Individual)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Metals (Individual for Boreholes)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Metals (Individual for TCLP)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Metals (Total - Raw Influent)			2 749.13	3 161.50	y	2 872.87	3 303.80	4.50%
FCR	Metals (Total - Final Effluent)			2 749.13	3 161.50	y	2 872.87	3 303.80	4.50%
FCR	Metals (Total - Sludges)			2 873.13	3 304.10	y	3 002.43	3 452.80	4.50%
FCR	Calcium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Potassium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Lithium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Magnesium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Molybdenum			201.83	232.10	y	210.87	242.50	4.48%
FCR	Selenium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Sodium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Flashpoint			201.83	232.10	y	210.87	242.50	4.48%
	LAB TESTS: TOXIN ANALYSIS		All charges are per test.						
FCR	Microcystin - Eliza Method			1 428.09	1 642.30	y	1 492.35	1 716.20	4.50%
FCR	Mircocystin - HPLC Method			1 567.39	1 802.50	y	1 637.91	1 883.60	4.50%
	HYDROBIOLOGICAL ANALYSIS								
	Individual Tests								
FCR	Algal Enumeration & Identification			281.30	323.50	y	294.00	338.10	4.51%
FCR	Chlorophyll-a			260.00	299.00	y	271.74	312.50	4.52%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	Phaeophytin			260.00	299.00	y	271.74	312.50	4.52%
	Price for combined tests			516.17	593.60	y	539.39	620.30	4.50%
	Algal Enumeration & Identification								
	Chlorophyll-a								
	Phaeophytin								
	LAB TESTS BACTERIOLOGICAL								
	INDIVIDUAL TESTS (treated water)		All charges are per test.						
FCR	Total heterotrophic Plate Count			117.91	135.60	y	123.22	141.70	4.50%
FCR	Total Coliform Count (membrane filtration method)			177.39	204.00	y	185.39	213.20	4.51%
FCR	Faecal Coliform Count (membrane filtration method)			177.39	204.00	y	185.39	213.20	4.51%
FCR	<i>E coli</i> + Faecal Coliform Count (membrane filtration method)			195.48	224.80	y	204.26	234.90	4.49%
FCR	Total Coliform + <i>E coli</i> (Colilert method)			313.48	360.50	y	327.57	376.70	4.49%
FCR	<i>Pseudomonas</i>			180.43	207.50	y	188.52	216.80	4.48%
	INDIVIDUAL TESTS (environmental water)		All charges are per test.						
FCR	<i>E coli</i> + Faecal Coliform Count (membrane filtration method)			214.00	246.10	y	223.65	257.20	4.51%
FCR	<i>E coli</i> Count (1dilution) (colilert method)			313.48	360.50	y	327.57	376.70	4.49%
FCR	For every additional dilution (colilert method)			117.91	135.60	y	123.22	141.70	4.50%
FCR	Enterococcus Count (membrane filtration method)			198.70	228.50	y	N/A	N/A	

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	Enterococcus Count (enterolert method)			.		y	123.30	141.80	
FCR	PARASITES		Combined charges	4 734.00	5 444.10	y	4 947.04	5 689.10	4.50%
	Cryptosporidium and Giardia								
	LAB TESTS: HYDRO-ENVIRONMENTAL CHEMISTRY		All charges are per test.						
FCR	Alkalinity			120.78	138.90	y	126.26	145.20	4.54%
FCR	Aluminium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Ammonia			120.78	138.90	y	126.26	145.20	4.54%
FCR	Arsenic (digested)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Arsenic (undigested)			78.09	89.80	y	81.57	93.80	4.45%
FCR	BOD			350.09	402.60	y	365.83	420.70	4.50%
FCR	Boron			146.78	168.80	y	153.39	176.40	4.50%
FCR	Cadmium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Calcium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Calcium Hardness			78.09	89.80	y	81.57	93.80	4.45%
FCR	Chloride			120.78	138.90	y	126.26	145.20	4.54%
FCR	Chromium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Cobalt			78.09	89.80	y	81.57	93.80	4.45%
FCR	COD			201.83	232.10	y	210.87	242.50	4.48%
FCR	COD (filtered)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Conductivity			55.04	63.30	y	57.48	66.10	4.42%
FCR	Copper			78.09	89.80	y	81.57	93.80	4.45%
FCR	Cyanide (total dissolved)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Dissolved Oxygen (probe)			52.00	59.80	y	54.35	62.50	4.52%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	Flouride			78.09	89.80	y	81.57	93.80	4.45%
FCR	Geosmin & 2-Methylisoborneol			1 567.39	1 802.50	y	1 637.91	1 883.60	4.50%
FCR	Iron			78.09	89.80	y	81.57	93.80	4.45%
FCR	Lead			78.09	89.80	y	81.57	93.80	4.45%
FCR	Lithium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Magnesium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Magnesium Hardness			78.09	89.80	y	81.57	93.80	4.45%
FCR	Manganese			78.09	89.80	y	81.57	93.80	4.45%
FCR	Mercury			324.26	372.90	y	338.87	389.70	4.51%
FCR	Molybdenum			201.83	232.10	y	210.87	242.50	4.48%
FCR	Metals (Individual)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Metals (Individual for Boreholes)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Metals (Total - Sludges)		Combined Charge	2 873.13	3 304.10	y	3 002.43	3 452.80	4.50%
FCR	Nickel			78.09	89.80	y	81.57	93.80	4.45%
FCR	Nitrate			162.09	186.40	y	169.39	194.80	4.51%
FCR	Nitrite			162.09	186.40	y	169.39	194.80	4.51%
FCR	Nitrate + Nitrite			162.09	186.40	y	169.39	194.80	4.51%
FCR	Ortho-phosphate			132.87	152.80	y	138.87	159.70	4.52%
FCR	pH			52.00	59.80	y	54.35	62.50	4.52%
FCR	pH (Sludges)			55.04	63.30	y	57.48	66.10	4.42%
FCR	Phenols (total dissolved)			201.83	232.10	y	210.87	242.50	4.48%
FCR	Potassium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Residual Chlorine (DPD)			78.09	89.80	y	81.57	93.80	4.45%
FCR	Selenium			201.83	232.10	y	210.87	242.50	4.48%
FCR	Silica			78.09	89.80	y	81.57	93.80	4.45%
FCR	Sodium			201.83	232.10	y	210.87	242.50	4.48%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
FCR	Strontium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Sulphate			146.78	168.80	y	153.39	176.40	4.50%
FCR	Total Dissolved Solids			78.09	89.80	y	81.57	93.80	4.45%
FCR	Total Hardness			78.09	89.80	y	81.57	93.80	4.45%
FCR	TPON			201.83	232.10	y	210.87	242.50	4.48%
FCR	Total Phosphorous			201.83	232.10	y	210.87	242.50	4.48%
FCR	Total Solids			120.78	138.90	y	126.26	145.20	4.54%
FCR	Total Suspended Solids			120.78	138.90	y	126.26	145.20	4.54%
FCR	Total + Volatile Solids			132.87	152.80	y	138.87	159.70	4.52%
FCR	Total + Volatile Suspended Solids			132.87	152.80	y	138.87	159.70	4.52%
FCR	Turbidity			78.09	89.80	y	81.57	93.80	4.45%
FCR	UV 4cm at 300nm			78.09	89.80	y	81.57	93.80	4.45%
FCR	Vanadium			78.09	89.80	y	81.57	93.80	4.45%
FCR	Volatile Fatty Acids			132.87	152.80	y	138.87	159.70	4.52%
FCR	Zinc			78.09	89.80	y	81.57	93.80	4.45%
FCR	Nitrate/Nitrite			78.09	89.80	y	81.57	93.80	4.45%
FCR	Total Coliform Count/100ml (Membrane Filtration Method)			177.39	204.00	y	185.39	213.20	4.51%
FCR	Oil (Total)			648.26	745.50	y	677.39	779.00	4.49%
FCR	Sulphides			201.83	232.10	y	210.87	242.50	4.48%
FCR	Total Nitrogen			201.83	232.10	y	210.87	242.50	4.48%
FCR	Sodium Absorption Ratio			78.09	89.80	y	81.57	93.80	4.45%
FCR	UV at 254nm			78.09	89.80	y	81.57	93.80	4.45%

WATER & SANITATION SERVICES - SCIENTIFIC SERVICES (MISCELLANEOUS)									
CAT.	SERVICES RENDERED	UNIT	REMARKS	2024/25	2024/25	VAT	2025/26	2025/26	% Increase / decrease
				Recalculated	R	Yes/No	Recalculated	R	
				excl. VAT	incl. VAT		excl. VAT	incl. VAT	
	A MINIMUM ADMINISTRATIVE HANDLING FEE OF R416.52 (VAT EXCLUSIVE) WILL BE CHARGED PER SAMPLE. IF THE ANALYSIS REQUESTED AMOUNTS TO MORE THAN R416.52 PER SAMPLE, THEN ONLY THE COST OF THE ANALYSIS WILL BE CHARGED								