

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                  | UNIT | REMARKS                   | 2015/16<br>Recalculated<br>excl. VAT | 2015/16<br>R<br>incl. VAT | VAT<br>Yes/No | 2016/17<br>Recalculated<br>excl. VAT | 2016/17<br>R<br>incl. VAT |
|------------------------------------|------|---------------------------|--------------------------------------|---------------------------|---------------|--------------------------------------|---------------------------|
| <b>LAB TESTS: WATER (DRINKING)</b> |      | All charges are per test. |                                      |                           |               |                                      |                           |
| pH                                 |      |                           | 33.42                                | 38.10                     | y             | 35.35                                | 40.30                     |
| Conductivity                       |      |                           | 33.42                                | 38.10                     | y             | 35.35                                | 40.30                     |
| Alkalinity                         |      |                           | 33.42                                | 38.10                     | y             | 35.35                                | 40.30                     |
| Chloride                           |      |                           | 33.42                                | 38.10                     | y             | 35.35                                | 40.30                     |
| Colour                             |      |                           | 33.42                                | 38.10                     | y             | 35.35                                | 40.30                     |
| Calcium                            |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Magnesium                          |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Aluminium                          |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Iron mg                            |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Antimony                           |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Arsenic (undigested)               |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Cyanide (total dissolved)          |      |                           | 129.56                               | 147.70                    | y             | 137.19                               | 156.40                    |
| Phenol (total dissolved or free)   |      |                           | 129.56                               | 147.70                    | y             | 137.19                               | 156.40                    |
| Selenium                           |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Total Organic Carbon (TOC)         |      |                           | 144.21                               | 164.40                    | y             | 152.72                               | 174.10                    |
| Cadmium                            |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Chromium                           |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Cobalt                             |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Lead                               |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Nickel                             |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Strontium                          |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Total Hardness                     |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Calcium Hardness                   |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Magnesium Hardness                 |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Turbidity NTU                      |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Vanadium                           |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Zinc                               |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |
| Manganese                          |      |                           | 50.09                                | 57.10                     | y             | 53.07                                | 60.50                     |

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                                           | UNIT | REMARKS                   | 2015/16<br>Recalculated | 2015/16<br>R | VAT<br>Yes/No | 2016/17<br>Recalculated | 2016/17<br>R |
|-------------------------------------------------------------|------|---------------------------|-------------------------|--------------|---------------|-------------------------|--------------|
| Sodium                                                      |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Potassium                                                   |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Sulphate                                                    |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| UV 4cm at 300nm                                             |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Ammonia                                                     |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Residual Chlorine (DPD)                                     |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Total Dissolved Solids                                      |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Nitrite (NO2)                                               |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Nitrate (NO3)                                               |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Nitrate + Nitrite                                           |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Fluoride                                                    |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Copper                                                      |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Silica                                                      |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Phosphate (Total)                                           |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Geosmin and 2 Methylisoborneol                              |      |                           | 1,005.53                | 1,146.30     | y             | 1064.82                 | 1213.90      |
| Trihalomethanes                                             |      |                           | 503.25                  | 573.70       | y             | 532.89                  | 607.50       |
|                                                             |      |                           |                         |              |               |                         |              |
| <b>LAB TESTS WASTEWATER/SOLID WASTE/INDUSTRIAL EFFLUENT</b> |      | All charges are per test. |                         |              |               |                         |              |
| Total Suspended Solids                                      |      |                           | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Total + Volatile Suspended Solids                           |      |                           | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Total + Volatile Solids                                     |      |                           | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Settleable Solids                                           |      |                           | 43.25                   | 49.30        | y             | 45.79                   | 52.20        |
| Total Solids                                                |      |                           | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| COD                                                         |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| COD (filt)                                                  |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| TKN                                                         |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Ammonia                                                     |      |                           | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Nitrate                                                     |      |                           | 103.95                  | 118.50       | y             | 110.09                  | 125.50       |
| Nitrite                                                     |      |                           | 103.95                  | 118.50       | y             | 110.09                  | 125.50       |

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                 | UNIT | REMARKS | 2015/16<br>Recalculated | 2015/16<br>R | VAT<br>Yes/No | 2016/17<br>Recalculated | 2016/17<br>R |
|-----------------------------------|------|---------|-------------------------|--------------|---------------|-------------------------|--------------|
| Nitrate + Nitrite                 |      |         | 103.95                  | 118.50       | y             | 110.09                  | 125.50       |
| Total Phosphorous                 |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Ortho-phosphate                   |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Chloride                          |      |         | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Sulphate                          |      |         | 94.21                   | 107.40       | y             | 99.74                   | 113.70       |
| pH                                |      |         | 33.42                   | 38.10        | y             | 35.35                   | 40.30        |
| pH (+sludges)                     |      |         | 35.35                   | 40.30        | y             | 37.46                   | 42.70        |
| Conductivity                      |      |         | 35.35                   | 40.30        | y             | 37.46                   | 42.70        |
| Alkalinity                        |      |         | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| SVI                               |      |         | 43.25                   | 49.30        | y             | 45.79                   | 52.20        |
| DSVI                              |      |         | 43.25                   | 49.30        | y             | 45.79                   | 52.20        |
| Volatile Fatty Acids              |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Tannin                            |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Hydrazine                         |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Hydrogen Sulphide                 |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Residual Chlorine                 |      |         | 52.02                   | 59.30        | y             | 55.09                   | 62.80        |
| Arsenic (digested)                |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Arsenic (undigested)              |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| BOD                               |      |         | 224.65                  | 256.10       | y             | 237.89                  | 271.20       |
| Boron                             |      |         | 94.21                   | 107.40       | y             | 99.74                   | 113.70       |
| Cyanide (total dissolved)         |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Fats & Oils (Gravimetric)         |      |         | 415.96                  | 474.20       | y             | 440.53                  | 502.20       |
| Mercury                           |      |         | 207.98                  | 237.10       | y             | 220.26                  | 251.10       |
| Phenols (Total dissolved)         |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Metals (Individual)               |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Metals (Individual for Boreholes) |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Metals (Individual for TCLP)      |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Metals (Total - Raw Influent)     |      |         | 1,763.77                | 2,010.70     | y             | 1867.81                 | 2129.30      |
| Metals (Total - Final Effluent)   |      |         | 1,763.77                | 2,010.70     | y             | 1867.81                 | 2129.30      |
| Metals (Total - Sludges)          |      |         | 1,843.25                | 2,101.30     | y             | 1952.02                 | 2225.30      |
| Calcium                           |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                                | UNIT | REMARKS                   | 2015/16<br>Recalculated | 2015/16<br>R | VAT<br>Yes/No | 2016/17<br>Recalculated | 2016/17<br>R |
|--------------------------------------------------|------|---------------------------|-------------------------|--------------|---------------|-------------------------|--------------|
| Potassium                                        |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Lithium                                          |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Magnesium                                        |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Molybdenum                                       |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Selenium                                         |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Sodium                                           |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Flashpoint                                       |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| <b>LAB TESTS: TOXIN ANALYSIS</b>                 |      |                           |                         |              |               |                         |              |
| Microcystin - Eliza Method                       |      | All charges are per test. | 916.23                  | 1,044.50     | y             | 970.26                  | 1106.10      |
| Mircocystin - HPLC Method                        |      |                           | 1,005.53                | 1,146.30     | y             | 1064.82                 | 1213.90      |
| <b>HYDROBIOLOGICAL ANALYSIS</b>                  |      |                           |                         |              |               |                         |              |
| <b>Individual Tests</b>                          |      |                           |                         |              |               |                         |              |
| Algal Enumeration & Identification               |      |                           | 180.53                  | 205.80       | y             | 191.14                  | 217.90       |
| Chlorophyll-a                                    |      |                           | 166.84                  | 190.20       | y             | 176.67                  | 201.40       |
| Phaeophytin                                      |      |                           | 166.84                  | 190.20       | y             | 176.67                  | 201.40       |
| <b>Price for combined tests</b>                  |      |                           | 346.32                  | 394.80       | y             | 366.75                  | 418.10       |
| Algal Enumeration & Identification               |      |                           |                         |              |               |                         |              |
| Chlorophyll-a                                    |      |                           |                         |              |               |                         |              |
| Phaeophytin                                      |      |                           |                         |              |               |                         |              |
| <b>LAB TESTS BACTERIOLOGICAL</b>                 |      |                           |                         |              |               |                         |              |
| <b>INDIVIDUAL TESTS (treated water)</b>          |      |                           |                         |              |               |                         |              |
| Total heterotrophic Plate Count                  |      | All charges are per test. | 75.53                   | 86.10        | y             | 80.00                   | 91.20        |
| Total Coliform Count (membrane filtration        |      |                           | 113.77                  | 129.70       | y             | 120.53                  | 137.40       |
| Faecal Coliform Count (membrane filtration       |      |                           | 113.77                  | 129.70       | y             | 120.53                  | 137.40       |
| <i>E coli</i> + Faecal Coliform Count (membrane  |      |                           | 125.53                  | 143.10       | y             | 132.89                  | 151.50       |
| Total Coliform + <i>E coli</i> (Colilert method) |      |                           | 201.14                  | 229.30       | y             | 212.98                  | 242.80       |
| <i>Pseudomonas</i>                               |      |                           | 115.70                  | 131.90       | y             | 122.54                  | 139.70       |

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                                 | UNIT | REMARKS                   | 2015/16<br>Recalculated | 2015/16<br>R | VAT<br>Yes/No | 2016/17<br>Recalculated | 2016/17<br>R |
|---------------------------------------------------|------|---------------------------|-------------------------|--------------|---------------|-------------------------|--------------|
| <b>INDIVIDUAL TESTS (environmental water)</b>     |      | All charges are per test. |                         |              |               |                         |              |
| <i>E coli</i> + Faecal Coliform Count (membrane   |      |                           | 137.28                  | 156.50       | y             | 145.35                  | 165.70       |
| <i>E coli</i> Count (1dilution) (colilert method) |      |                           | 201.14                  | 229.30       | y             | 212.98                  | 242.80       |
| For every additional dilution (colilert method)   |      |                           | 75.53                   | 86.10        | y             | 80.00                   | 91.20        |
| Enterococcus Count (membrane filtration           |      |                           | 127.46                  | 145.30       | y             | 135.00                  | 153.90       |
| <b>PARASITES</b>                                  |      | Combined charges          | 3,037.11                | 3,462.30     | y             | 3216.32                 | 3666.60      |
| Cryptosporidium and Giardia                       |      |                           |                         |              |               |                         |              |
| <b>LAB TESTS: HYDRO-ENVIRONMENTAL CHEMISTRY</b>   |      | All charges are per test. |                         |              |               |                         |              |
| Alkalinity                                        |      |                           | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Aluminium                                         |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Ammonia                                           |      |                           | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Arsenic (digested)                                |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Arsenic (undigested)                              |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| BOD                                               |      |                           | 224.65                  | 256.10       | y             | 237.89                  | 271.20       |
| Boron                                             |      |                           | 94.21                   | 107.40       | y             | 99.74                   | 113.70       |
| Cadmium                                           |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Calcium                                           |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Calcium Hardness                                  |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Chloride                                          |      |                           | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Chromium                                          |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Cobalt                                            |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| COD                                               |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| COD (filtered)                                    |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Conductivity                                      |      |                           | 35.35                   | 40.30        | y             | 37.46                   | 42.70        |
| Copper                                            |      |                           | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Cyanide (total dissolved)                         |      |                           | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Dissolved Oxygen (probe)                          |      |                           | 33.42                   | 38.10        | y             | 35.35                   | 40.30        |

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                 | UNIT | REMARKS         | 2015/16<br>Recalculated | 2015/16<br>R | VAT<br>Yes/No | 2016/17<br>Recalculated | 2016/17<br>R |
|-----------------------------------|------|-----------------|-------------------------|--------------|---------------|-------------------------|--------------|
| Flouride                          |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Geosmin & 2-Methylisoborneol      |      |                 | 1,005.53                | 1,146.30     | y             | 1064.82                 | 1213.90      |
| Iron                              |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Lead                              |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Lithium                           |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Magnesium                         |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Magnesium Hardness                |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Manganese                         |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Mercury                           |      |                 | 207.98                  | 237.10       | y             | 220.26                  | 251.10       |
| Molybdenum                        |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Metals (Individual)               |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Metals (Individual for Boreholes) |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Metals (Total - Sludges)          |      | Combined Charge | 1,843.25                | 2,101.30     | y             | 1952.02                 | 2225.30      |
| Nickel                            |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Nitrate                           |      |                 | 103.95                  | 118.50       | y             | 110.09                  | 125.50       |
| Nitrite                           |      |                 | 103.95                  | 118.50       | y             | 110.09                  | 125.50       |
| Nitrate + Nitrite                 |      |                 | 103.95                  | 118.50       | y             | 110.09                  | 125.50       |
| Ortho-phosphate                   |      |                 | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| pH                                |      |                 | 33.42                   | 38.10        | y             | 35.35                   | 40.30        |
| pH (Sludges)                      |      |                 | 35.35                   | 40.30        | y             | 37.46                   | 42.70        |
| Phenols (total dissolved)         |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Potassium                         |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Residual Chlorine (DPD)           |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Selenium                          |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Silica                            |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Sodium                            |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Strontium                         |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Sulphate                          |      |                 | 94.21                   | 107.40       | y             | 99.74                   | 113.70       |
| Total Dissolved Solids            |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Total Hardness                    |      |                 | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| TPON                              |      |                 | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |

## UTILITY SERVICES - WATER & SANITATION - SCIENTIFIC SERVICES (MISCELLANEOUS)

| SERVICES RENDERED                                                                                                                                                                                                     | UNIT | REMARKS | 2015/16<br>Recalculated | 2015/16<br>R | VAT<br>Yes/No | 2016/17<br>Recalculated | 2016/17<br>R |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------|-------------------------|--------------|---------------|-------------------------|--------------|
| Total Phosphorous                                                                                                                                                                                                     |      |         | 129.56                  | 147.70       | y             | 137.19                  | 156.40       |
| Total Solids                                                                                                                                                                                                          |      |         | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Total Suspended Solids                                                                                                                                                                                                |      |         | 77.54                   | 88.40        | y             | 82.11                   | 93.60        |
| Total + Volatile Solids                                                                                                                                                                                               |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Total + Volatile Suspended Solids                                                                                                                                                                                     |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Turbidity                                                                                                                                                                                                             |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| UV 4cm at 300nm                                                                                                                                                                                                       |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Vanadium                                                                                                                                                                                                              |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| Volatile Fatty Acids                                                                                                                                                                                                  |      |         | 85.26                   | 97.20        | y             | 90.26                   | 102.90       |
| Zinc                                                                                                                                                                                                                  |      |         | 50.09                   | 57.10        | y             | 53.07                   | 60.50        |
| A MINIMUM ADMINISTRATIVE HANDLING FEE OF R281 (VAT EXCLUSIVE)<br>WILL BE CHARGED PER SAMPLE. IF THE ANALYSIS REQUESTED AMOUNTS<br>TO MORE THAN R281 PER SAMPLE, THEN ONLY THE COST OF THE ANALYSIS<br>WILL BE CHARGED |      |         |                         |              |               |                         |              |
|                                                                                                                                                                                                                       |      |         |                         |              |               |                         |              |